



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ATTY.'S DOCKET: ARIYASU2

In re Application of:)	Art Unit:
ARIYASU et al.)	Examiner:
Serial No.: 10/663,650)	Washington, D.C.
Filed: September 17, 2003)	June 25, 2004
For: TREHALOSE RECEPTOR AND METHOD FOR DETECTING...)	Confirmation No.: 3810

STATEMENTS IN SUPPORT OF SEQUENCE LISTING REQUIREMENTS

Honorable Commissioner for Patents
U.S. Patent and Trademark Office
2011 South Clark Place
Customer Window, **Mail Stop Sequence**
Crystal Plaza Two, Lobby, Room 1B03
Arlington, Virginia 22202

Sir:

Attached hereto is a 3½" disk containing the
"Sequence Listing" in computer readable form in accordance
with 37 C.F.R. §1.821(e) as filed in application no.
10/663,650 on September 17, 2003.

I hereby state, in accordance with 37 C.F.R.
§1.821(f), that the content of the attached computer readable
copy of the sequence listing and the paper copy as originally
filed are believed to be the same.


I hereby also state, in accordance with 37 C.F.R.
§1.821(g), that the submission is not believed to include new
matter.

If the examiner has any questions or comments concerning the sequence listing in the above described application, the examiner is urged to contact the undersigned at the phone number below.

Respectfully submitted,

BROWDY AND NEIMARK P.L.L.C.
Attorneys for Applicant(s)

By:


Sheridan Neimark
Registration No. 20,520

SN:pp

624 Ninth Street, N.W.
Suite 300
Washington, D.C. 20001
Facsimile: (202) 737-3528
Telephone: (202) 628-5197